






DRIVING INNOVATION. DELIVERING DELIGHT.

At Luminous, we understand that you don't want interruptions, especially when you are living a moment. That's where our 3 decades of expertise lies. With your needs in the centre, we constantly strive to design products that not only deliver to your power back-up needs but also delight you in more than one way.

Our expertise in Power Back-up Solutions, Home Electrical Solutions & Solar Products has enabled us to come up with world class products. Luminous fans have been delivering delight to the consumers with constant innovation, refreshing designs and original style. Making Luminous the foremost choice of discerning customers.

We operate in more than 36 countries, our employee base is of 6000, more than 60,000 channel partners and millions of customers place their trust on us. That's why when you bring home a Luminous, a compliment follows.



TECHNOLOGY YOU CAN TRUST

At Luminous, innovation is always in the air.

All our fans come with top-of-the-line technology and powerful performance. With features like 100% corrosion-free aluminium blades our fans withstand all weather conditions.

Their unique stators fitted with hi-perm steel stampings and 99% pure electrolytic-grade copper-wired windings guarantee low watt consumption and high efficiency.

Designed for noise-less operation and longer life, our ceiling fans are fitted with pre-sealed.

our ceiling fans are fitted with pre-sealed, pre-greased ZZ-precision ball bearings.

What's more, the secondary safety device in the hanging system make these fans one of the safest in the industry.

The compact in-house designed electronic circuits ensure optimum speed regulation and luminosity in our LED fans. Along with this, aluminium-pressure die-cast top and bottom covers result in lower temperature rise and higher durability. With all this and more, our fans are truly a breath of fresh air.

BEAUTY THAT EMBODIES THE WORLD.

We all love exploring new cities and architecture. Getting inspired from this passion of ours, we at Luminous thought of imbibing your home with the unique design of incredible architectures. Our fans embodies the rich heritage of different monuments from different cities across the globe. These fans are not just an electrical device but a décor to beautify your home.



JAIPUR

The range reflects rich history and culture of the majestic city of Jaipur.

NEW YORK

A rare blend of modernism and flair that comes through in this theme inspired by the city that never sleeps.

LONDON

Classical elegance embodying the aristocratic heritage of London, making them a truly royal addition to your home.



The vibrant, electric city of Rio comes alive in this range that truly symbolize its pulsating energy in every way.




It's from all over the world. It's out of the world. The spectacular Signature Collection of ceiling fans brings an international ambience to your doorstep. Get ready to welcome the world to your home with these fans that embody the finest experiences of some of the most charismatic cities from across the globe. It's time to indulge.

It's time to give your home a new personality.









The centre of your room is as important as the central hub of New York city, and this fan is curated to ensure that the aesthetics of Madison Square are reflected in your room interiors. With its wooden finish and a sleek classy style, the path between the Madison route creates a four directional cross, just like the blades of the fan.

1300 mm (52) | 78 Watts 230 CMM | 320 RPM













True to its name, Manhattan range has the most attractive, still sober looking fans.

These fans create a perfect ambience for a typical Manhattan night out.

1200 mm (48) | 80 Watts with Light 230 CMM | 350 RPM | 9 Watts Cool Day Light with Dimmer







New York Tiffany is the sleekest fan in India. The fan is powered by a BLDC (Brushless Direct Current) motor which makes the fan voltage fluctuation proof and it consumes over 50% less power. The design of the fan is inspired by the modern minimalism seen in the architecture of New York.

1200 mm (48) | 35 Watts 225 CMM | 330 RPM









A hard shell that mimics pearls, the New York Hudson gives the illusion of being weightless while being elegant. /

1200 mm (48) | 75 Watts 230 CMM | 350 RPM







Sleek in its form, streamlined in its unction, it's a monochrome blend, inspired by the subtle contrast within downtown Brooklyn.

/ 1200 mm (48) | 75 Watts 230 CMM | 350 RPM 900 mm (36) | 55 Watts 145 CMM | 460 RPM



Ale Brown

Pinewood

Chrome White

Alice White







The Richmond neighbourhood of New York is famous for its modern, stylish and classy look & décor, that's what inspires the design of this fan. Its long tapering bottom canopy and the almost triangular shaped motor makes the fan truly stand out.

1200 mm (48) | 75 Watts 230 CMM | 380 RPM













Low Noise

Hi-Air Delivery




The historic relevance of the Mahals in Jaipur is captured in this royal look. Inspired by the artistic interior of the palaces, this fan depicts the intricate architecture in the city.

1300 mm (52) | 78 Watts 230 CMM | 320 RPM









1200 mm (48) | 75 Watts 230 CMM | 350 RPM







lassic white and gold matte finish, Jaipur Bandhej gives your home an exquisite look.

1200 mm (48) | 75 Watts 230 CMM | 350 RPM







The pattern printed on these two models are done using the special process of Tin Printing which is being used for the first time in Fan industry in India.

The printed patterns are inspired by the traditional textile art forms of "Sanganeri" prevalent in Rajasthan.

1200 mm (48) | 75 Watts 230 CMM | 380 RPM







The pattern printed on these two models are done using the special process of Tin Printing which s being used for the first time in Fan industry in India. The printed patterns are inspired by the traditional extile art forms of "Minakari" prevalent in Rajasthan.

-1200 mm (48) | 75 Watts 230 CMM | 380 RPM







The design is created in the image of the "Trinetra" form – an indication of the 3 eyes of Lord Shiva or Goddess Durga. The fan is named after the festival of Gangaur, Gana stands for ord Shiva and Gaur stands for Goddess Durga.

| 1200 mm (48) | 75 Watt | 230 CMM | 380 RPM












nspired by the grandiose and elegance of the clock tower, London Big Ben adds that extra opulence to your home. 1200 mm (48) | 80 Watts with Light 230 CMM | 350 RPM | 9 Watts Vatural White Light with Dimmer





Named after the Windsor Castle in London, this fan is a true symbol of royalty with its shining opulence. The colonial style filigree on the motor as well as on the blades along ith coloured gemstones, makes it stand out. It is another first in the Indian fan industry.

1200 mm (48) | 75 Wat 230 CMM | 350 RPM







A graceful form that nitates the tulip, London Mayfair is dynamic and exquisite.

1200 mm (48) | 75 Watts 230 CMM | 350 RPM








The fan is a true reflection of colonial design and architecture with a unique flowing pattern on its motor and blade trims, symbolising the river Thames crossing through London

1200 mm (48) | 75 Watt 230 CMM | 380 RPM











Switch off from the hustle bustle and switch on to the calm waves coming your way. With its tranquil colour and sandy appeal, transport yourself to a beach side Cabana. Sit and enjoy the breeze.

1200 mm (48) | 75 Watts 230 CMM | 350 RPM







Capturing the spirit and energy of festivals, ne Rio Carnival is a statement piece that adds vibrant colours and eclectic zing to any space.

| 1200 mm (48) | 75 Watts | 230 CMM | 350 RPM







The word "Novo" means new in Portuguese The fan has a completely new look with the hiny foiled dots on its motor and blade trims. The design is inspired by the traditional fireworks on New Year's Eve in Rio.

1200 mm (48) | 75 Watts 230 CMM | 380 RPM









Hi-Air Delivery

Hi-Speed



With its sleek finish and shine, this fan is as modern as it's vintage. Crafted keeping in mind the first car-Belair, that used hubcap plate inside the wheel, this fan is a proud possession.

1200 mm (48) | 75 Watts 230 CMM | 380 RPM



Aspiration

Crafted with integrated functional LED lights, these fans light up the entire room. What's more, remote regulated light and fan speeds give you the ultimate comfort and convenience..



• Aerodynamically designed ABS Blades with matching trims

Optically designed dome for better light dispersion

Electroplated bod y

1320 mm (52) I 18W LED 115 Watts with Light






A curved sensation with heavy duty ABS blades of striking colours. This majestic LED fan is sure to make a style statement of your personality.





- Aerodynamically designed heavy duty ABS Blades
- Optically designed dome for better light dispersion
 - Electroplated body

1380 mm (54) 18 W LED 95 Watts with ligh







Aerodynamically designed ABS blades & body
 Optically designed dome for better light dispersion

1320 mm (52) I 18W LED 115 Watts with Light






















Illuminating the air

A high air delivery fan with an integrated functional LED light. With four specially crafted wood finish blades, LiteAire is the perfect complement for your home décor.



- Innovative modern canopy design
- Seamless fitment of blade and motor with invisible rivets

1200 mm (48) | 10W LED 90 Watts with light | 235 CMN 320 RPM









Low Noise







5 Step Light Dimmer



Decorative PREMIUM RANGE

Built with a stronger motor to drive more air,

the larger body design adds to their stability along with aerodynamically balanced blade technology that makes this range truly superior.



Low Noise
 High-Air Delivery

dorn Minimalistic Design

- 1200 mm (48) | 350 RPM 235 CMM





- Fully electroplated fan
- Large body & powerful motor
- Large body a powerful motor
- Aluminium motor covers increase
 the durability of the fan

1200 mm (48) | 230 CMM 78 Watts | 350 RPM







- Combination of aqua finish and special paints
- In wooden finish and modern graphic design
 - Bottom static disc display with the
 wooden or graphic finish

1200 mm (48) | 230 CMM 70 Watts | 350 RPM





Deltsid The Contours of Beauty

A sleek fan designed uniquely to add the X factor of beauty to your living spaces.








Hi-Air Delivery Hi-Speed

- Glossy motor ring
 - Premium look
- Wine glass style sleeve & canopy to cover downrod


1200 mm (48) | 230 CMM 75 Watts | 380 RPM












- a premium modern look
- Wine glass style sleeve & canopy to cover downrod
 - Ring on top canopy

1200 mm (48) 230 CMM 75 Watts 380 RPM





- Metallic finish to enrich the decor of your interior.
- Stronger motor and blades wider at end for breeze
- New age design to replace usual "Periphery ring" fan
 - Matt finish is to enrich the decor of your interior

1200 mm (48) | 230 CMN 78 Watts | 380 RPM



- Metallic finish to enrich the decor of your interior
- Stronger motor and blades wider at end for breeze
 - New age design to replace usua "Periphery ring" fan

900 mm (36) | 145 CMM | 55 Watts | 460 RPM 1200 mm (48) | 230 CMM | 78 Watts | 380 RPM 1400 mm (56) | 250 CMM | 78 Watts | 300 RPM

* Easy clean available in 1200 mm sweep only."





- Modern decor settings get ar enhancement with this perfect combination of sleek style and technology.
- With unique smooth flowing canopies and downrod sleeve covering
- Wider blades at tips give conical air throw

600 mm (24) | 110 CMM | 78 Watts | 820 RPM 900 mm (36) | 145 CMM | 55 Watts | 460 RPM 1200 mm (48) | 230 CMM | 78 Watts | 380 RPM 1400 mm (56) | 250 CMM | 78 Watts | 300 RPM





- Larger motor body for quicker heat dissipation
- Single shade metallic finish for classic looks

- 1200 mm (48) | 220 CMM 50 Watts | 350 RPM





- Powerful motor to produce high speed of rotation and high air delivery
- Aerodynamically designed blades for better air thrust
 - Bigger motor for better heat dissipation
 - Elegant motor ring and blade trims

1200mm (48) 230 CMM 75 Watts 380 RPM





- High-speed motor for more air thrust
- 4-petal shaped blades for higher air delivery
- Complementing embellishments on motor, blades and canopies

600 mm (24) | 120 CMM 70 Watts | 820 RPM







Performance RANGE

A superior paint finish adds a touch of class to this range.

Built with a strong motor and high grade aluminium blades that are aerodynamically balanced, these fans are designed to delight.






Bigger motor with sophisticated metallic finish
 Wider blades for better air thrust

1200mm (48) | 235 CMN 72 Watts | 380 RPM









- Stronger motor
- Better air deliverv
- Bigger motor size
- Clean sophisticated looks

600 mm (24) | 110 CMM | 78 Watts | 820 RPM 900 mm (36) | 145 CMM | 55 Watts | 460 RPM 1200 mm (48) | 235 CMM | 72 Watts | 380 RPM 1400 mm (56) | 250 CMM | 78 Watts | 300 RPM












Low Noise

 An all aluminum body and blades ensuring no corrosion
 In single shades finished in

In single shades finished in powder coating

1200mm (48) | 210 CMM 50 Watts | 330 RPM





More saving. Low power consumption

• Alluminium Fan for all terrains.

Great looks with long lasting powder coating finish

1200 mm (48) 215 CMM 50 Watts 350 RPM







Brown White Ive

Decorative CLASSIC RANGE

Available in single and two tone colour shades, this range is designed with your personal taste in mind. What's more, metallic and non-metallic finishes further add to the glamour of these fans.



Aerodynamically designed blades for better air thrust
 Powerful motor to produce high speed of rotation
 Bigger motor for better heat dissipation
 Elegant motor ring and blade trims

1200mm (48) 220 CMM 70 Watts






- Aerodynamically designed blades for better air thrust
- Powerful motor to produce high speed of rotation
 - Elegant motor ring and unique blade trims
 - Bigger motor for better heat dissipation

1200mm (48) | 220 CMM 70 Watts | 380 RPM









Powerful motor to produce high speed of rotation

Bigger motor for better heat dissipation

Elegant motor ring and blade trims

1200mm (48) 220 CMM 70 Watts 380 RPM






- Unique oval shaped blade design for better aerodynamics
 - Powerful motor to produce
 high speed of rotation
 - Bigger motor for better
 heat dissipation

1200mm (48) | 220 CMM 70 Watts | 380 RPM





 Aerodynamically designed blades for better air thrust


 Powerful motor to produce high speed of rotation

Bigger motor for better heat dissipation

Unique glowing design of blade trim

1200mm (48) 220 CMM 70 Watts 380 RPM







Bigger motor for better heat dissipation

Powerful motor to produce high speed of rotation

1200mm (48) 220 CMM 70 Watts 380 RPM







 High speed motor strengthened with additional copper to increase durability 1200 mm (48) | 215 CMM 70 Watts | 380 RPM





- Decorative fan at affordable price
- High speed motor strengthened with additional copper to increase durability

| 600 mm (24) | 110 CMM | 78 Watts | 820 RPM | 900 mm (36) | 145 CMM | 55 Watts | 460 RPM | 1200 mm (48) | 215 CMM | 70 Watts | 380 RPM | 1400 mm (56) | 245 CMM | 80 Watts | 300 RPM







Portable Fans RANGE

Superior air delivery has never looked better with the modern designs of these fans.





 Low wattage fan (50% power saving Uniform speed even at low voltage (160-230V)

Low weight to performance rational hence easily portable

400 mm (16) 95 CMM 52 Watts 1750 RPM





• 18" Oscillating Metal Fan

Rugged motor

Heavy metal boo

riedvy metai bo


remium finish

Metal blades for stability and durability

450 mm (18) 105 CMM 105 Watts 1400 RPM









High Air Delivery
 Smooth Motor Oscillation

400 mm (16) 100 CMM 120 Watts 2200 RPM















- A highly powered motor for air throw and trouble-free oscillation
 - Deep contoured plastic blades
- Attractive soft monochromatic colour shades

300 mm (12) | 60 CMM | 75 Watts | 2100 RPM (Wall)

400 mm (16) | 100 CMM | 130 Watts | 2100 RPM (Table, Pedestal & Wall)









Strong Motor





ABS Blade

Knob Mechanism for neck tilting




Thermal Overload Protection







2 Strong Motor
Smooth Oscillation
3 Speed Regulator
400 mm (16)
70 CMM
60 Watts
1320 RPM



Great performance with premium finish



Strong Motor



Thermal Overload Protection



Hi Air Throw



Aerodynamic PP Blade







Stable Base


Easy Tilting Mechanism

Smooth Oscillation


• 3 Speed Regulator

400 mm (16) 75 CMM

1350 RPM








ation 75 CMM 55 Watts ator 1350 RPM











Strong Moto



Aerodynam



dynamic Hi Blade



Easy tiltin Mechanisi (Wall Ean



g Thermal Overloa m Protection



Heavy Base (Pedestal Far






400 mm (16) 75 CMM 55 Watts 1350 RPM









Smooth Oscillation

3 Speed Regulator

400 mm (16) 75 CMM 55 Watts 850 RPM










 A highly powered motor for air throw and trouble-free oscillation

• Deep contoured plastic blades

• Attractive soft monochromatic colour shades

400 mm (16) 75 CMM 55 Watts 350 RPM





• Deep contoured plastic for lower noise and higher air throw 3 speed regulation


Attractive soft monochromatic colour shades
 A highly powered motor for gir throw.

 A highly powered motor for air throw and trouble-free oscillation 400 mm (16) 75 CMM 55 Watts 1350 RPM









Wall Fan (Pristine White)

Up-close and personal, Buddy fan works fabulously in cabins and office spaces.





- Assured high-speed performance
- Stronger motor in larger body
- Aerodynamically designed blades
 - High air delivery/air thrust

300 mm (12 58 CMM 80 Watts 2100 RPM



Royal Orange

A very personal fan for you that gives personal spot cooling. Ideal for dressing table areas, bathrooms, kitchens, shop counters.





Assured high-speed performance

• Stronger motor in larger body

• Aerodynamically designed blades

High air delivery/air thrust

230 mm (9) 38 CMM 55 Watts 2800 RPM





qua Blue

Ventilating Fans RANGE

Superior air suction technology in both marble and plastic finishes makes these fans a utility that is both useful and beautiful...









White

Stylish design that matches spaces such as kitchens and keeps your home cool.

- Strong air suction to keep the air clean and fresh
- Blades designed for faster
 speed of rotation
 - Rust proof body
- Includes dust protection shutters

150 mm (6) | 250 CMH | 30 Watts | 1350 RPN 200 mm (8) | 490 CMH | 35 Watts | 1350 RPM 250 mm (10)| 720 CMH | 40 Watts | 1300 RPM



Black



- Compact design
- Plastic body with classic desthetics
- Noiseless to use in AC cabins & conference rooms
 - Fasv installation
 - Premium finish silent exhaust fan

100 mm (4) | 100 CMH | 18 Watts | 2500 RPI





Stylish design that matches spaces such as kitchens and keeps your home cool.







- Less wattage fan-18/22 Watts
 - Compact design
 - High RPM- 2000/2200
- Plastic body with dynamic aesthetics
- Noiseless to use in AC cabins & conference rooms
 - Easy installation

- 100 mm (4) | 105 CMH | 18 Watts | 2200 RPI 150 mm (6) | 240 CMH | 22 Watts | 2000 RPI






The classic ventilation fan, which keeps the air fresh.











- Extra powerful motor with double bal bearing & high-air delivery
 - Capacitor type motor
- Bird screen for protection against birds and foreign matter

230 mm (9) | 850 CMH | 40 Watts | 1350 RP 300 mm (12) | 1750 CMH | 70 Watts | 1350 RP





The classic ventilation fan, which keeps the air fresh.



- High speed powerful motor
- Ideal for kitchens/bathrooms/restaurants
 - High air thrust
 - - Sturdy bird guard
 - Powder coated finish

230 mm (9) | 750 CMH | 40 Watts | 1350 RPM 300 mm (12) | 1300 CMH | 50 Watts | 1350 RPM

High Speed

150 mm (6) | 850 CMH | 40 Watts | 2650 RPM 230 mm (9) | 1050 CMH | 55 Watts | 2600 RPM



150mm (6) High Speed

Selection Criteria and Recommended Minimum Fresh Air Supply Selection Criteria

| Applications | No. of Air Changes/Hour |
|----------------------------------|-------------------------|
| Residences, Storage Areas | 1-2 |
| Libraries, Class Rooms | 2 - 4 |
| Assembly Halls, Labs | 4 - 6 |
| Lavatories, Bars, Hospital Wards | 6 - 8 |
| Theatres, Workshops, Garages | 6 - 10 |
| Cafes, Canteens | 8 - 12 |
| Restaurants, Laundries | 10 - 15 |
| Bakeries, Canteen Kitchens | 15 - 30 |
| Boiler Houses, Engine Rooms | 15 - 30 |
| Foundaries & Furnace Rooms | 30 - 60 |

Recommended Minimum Fresh Air Supply

| Air Space / Person | Air Supply/Person | Air Changes/Hour |
|--------------------|-------------------|------------------|
| 3 m3 | 61 m3/Hour | 20 |
| 6 m3 | 40 m3/Hour | 6.5 |
| 9 m3 | 29 m3/Hour | 3.2 |
| 12 m3 | 21 m3/Hour | 1.8 |

For large hall, auditoriums, offices, install two or more ceiling fans with a space as specified below

| Sweep of fan | Center Distance |
|--------------|----------------------------|
| 900 mm (36) | 6 feet (1.82 mtrs. approx) |
| 1050 mm (42) | 7 feet (2.13 mtrs. approx) |
| 1200 mm (48) | 8 feet (2.43 mtrs. approx) |
| 1400 mm (56) | 10 feet (3 mtrs. approx) |

General Guidelines for Ceiling Fans & Domestic Exhaust Fans

| Model Size | Sweep (MM) | Suitable for Room Size |
|----------------------|-------------------------|--|
| Ceiling Fan | 600 mm (24) | For Small Shops, Cabins & Toilets |
| Ceiling Fan | 900 mm (36) | 7 x 10 feet (2.13 x 3 mtrs. approx) |
| Ceiling Fan | 1050 mm (42) | 10 x 10 feet (3 x 3 mtrs. approx) |
| Ceiling Fan | 1200 mm (48) | 12 x 13 feet (3.65 x 3.96 mtrs. approx) |
| Ceiling Fan | 1400 mm (56) | 14 x 16 feet (4.26 x 4.87 mtrs. approx) |
| Domestic Exhaust Fan | 150 mm (6) & 200 mm (8) | 6 x 6 x 9 feet (1.82 x 1.82 x 2.74 mtrs. approx) |
| Domestic Exhaust Fan | 225 mm (8.8) | 8 x 8 x 9 feet (2.43 x 2.43 x 2.74 mtrs. approx) |
| Domestic Exhaust Fan | 300 mm (12) | 10 x 8 x 9 feet (3 x 2 43 x 2 74 mtrs approx) |

Transforming Technologies IN A WORLD CLASS SETUP

Luminous manufactures world-class products with its behind the scenes state-of-the-art infrastructure. There are various areas of in-house expertise, which ensure top-notch quality and flawless output.

